

AV and Assistive Hearing

Teaching Rooms

Teesside University employs two types of assistive hearing systems in selected* teaching rooms across the campus, Infrared and Hearing loop systems.

Hearing loop systems require the user to switch their hearing aid to the “T” position.

Infrared systems require the user to temporarily obtain a compatible necklace from any IT Service Desk or the reception of The Curve. The necklace then becomes a personal hearing loop which can then broadcast to the hearing aid in the “T” position.

The Curve

TG.01	Y
TG.02	Y
TG.03	Y
TG.05	Y
TG.06	Y
T1.01	Y
T1.02	Y
T1.03	Y
T1.04	Y
T1.06	Y
T1.07	Y
T1.11	Hearing Loop

Centuria

H0.01	Hearing Loop
H0.18	Y
H0.38	Y
H0.43	Y
H0.46	Y
H0.49	Y
H0.53	Hearing Loop
HS2.01	Y
HS2.12	Y
HS3.12	Y
HS3.14	Y

Clarendon

CL1.08	Y
CL1.87	Y
CL2.06	Y
CL2.07	Y
CL2.09	Y
CL2.10	Y
CL2.18	Y
CL2.19	Y
CL2.52	Y

Constantine

CG.11	Y
CG.12	Y
CG.14	Y
CG.15	Y
CG.17	Y

C1.17	X
C1.22	X
C1.31	Y
CLT	Hearing Loop

C2.24	Y
C2.17	Y
C2.16	Y
C2.15	Y
C2.14	Y
C2.13	Y
C2.12	Y
C2.11	Y
C2.10	Y
C2.09	Y

Europa

OL1	Hearing Loop
OL7	Hearing Loop

Library

L2.05	Y
L2.02	Y
L3.01	Y
L3.02	Y

Darlington

D1.16

D1.17

D1.18

D2.06

D2.10

D2.11

D2.14 Both these rooms are now room

D2.15

D2.16

D2.13

D2.19

D3.02

D3.05

D2.05

D3.06

D3.10

D3.11

D3.14

D3.16

D4.01

D4.05

D4.06

D4.09

Middlesbrough Tower

M4.01 X Awaiting Modulator

M4.02 X Awaiting Modulator

M4.19 X Awaiting Modulator

M5.02 X Awaiting Modulator

M5.03 X Awaiting Modulator

M5.04 X Awaiting Modulator

M6.02 Y

M6.03 Y

M6.05 Y

M6.07 Y

M6.08 Y

M6.09 Y

M6.10 Y

M6.13 Y

M7.01A Y

M7.01B Y

M7.02 X Ceiling refurb required

M7.03 X Ceiling refurb required

M7.09	Y	
M7.11	Y	
M7.12	Y	
M7.13	Y	
M10.04	Y	
M10.13	Y	
Phoenix		
PG.10	Y	
PG.13	Y	
Stephenson		
ICLT		Hearing Loop
Waterhouse		
WO.12	X	Awaiting Modulator
Orion		No General Teaching Rooms
Athena		No General Teaching Rooms

Each of these systems is checked annually but any faults should be reported to ITHelp@tees.ac.uk